YOUR ONE STOP SHOP











MODEL 4 COMBAT OPS READY \$1 6-POSITION STOCKS AND ASSEMBLIES PROUDLY MADE IN USA





FDE 6-Position **Extension Tube** Commercial (TLU006D) Mil-spec (TLU001D)

Buffer





- . Extended 8" Length for Increased Length of Pull Combine with Our Super Slim Handguards for a Superior Firearm Handling Experience
- . Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function





- MADE IN 6-Position Extension Tube
 - > Precision Machined from 6061/T6 Aircraft Grade Aluminum Alloy > Matte Black Type III Hard Coat Anodize or FDE Cerakote

MODEL 4 COMBAT OPS READY S2 6 POSITION STOCKS AND ASSEMBLIES PROUDLY MADE IN USA





- Ergonomically Chamfered Built-in Rubberized Butt Pad with Heavy **Duty Pattern for Maximum Traction**
- 2 Slanted Cheek Rest for Optimal Comfort
- 3 Reversible QD Sling Swivel Housing

7.5" Extended Length

- 4 Ambidextrous Standard Sling Loop
- 5 Extended Front End Enables Stock to be Flush with the Lower Receiver for a More Integral Look
- 6 Latch For 6-Position Adjustment

RBUS2BM

Stock Assembly

RBUS2BMS

Mil-spec

Mil-spec

Stock Only

STOCK ASSEMBLY INCLUDES:

- MADE IN Stock Molded from Impact Resistant High Strength Polymer
- Extended 7.5" Length for Increased Length of Pull Combine with Our Super Slim Handguards for a Superior Firearm Handling Experience
- . Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function
- MADE IN 6-Position Extension Tube
 - > Precision Machined from 6061/T6 Aircraft Grade Aluminum Alloy
 - > Matte Black Type III Hard Coat Anodize or FDE Cerakote















RBUS2BC

RBUS2BCS

Stock Only

Commercial-spec

Commercial-spec

Stock Assembly





MODEL 4 COMBAT OPS READY S3 6-POSITION STOCKS AND ASSEMBLIES PROUDLY MADE IN USA



STOCK ASSEMBLY INCLUDES:














Castle Nut



- Unique 6.05" Length and Sub Compact Profile for Superior Lightweight, yet Comfortable Performance with 6-Position Adjustability - Combine with Our Super Slim Handguards for a Superior Firearm Handling Experience
- . Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function
- MADE IN 6-Position Extension Tube
 - > Precision Machined from 6061/T6 Aircraft Grade Aluminum Alloy
 - Matte Black Type III Hard Coat Anodize or FDE Cerakote

MODEL 4 6-POSITION STOCK ASSEMBLIES PROUDLY MADE IN USA





Impact Resistant Polymer with Reinforced Stress Points for Maximum Durability

Official UTG PRO Logo Boasts Superb Quality

RBU6BM

Mil-spec

Stock Assembly

Most Secure Fit and Function

MADE IN Polymer Stock Molded from Impact Resistant High Strength Material

Tight Tolerance Controls to Provide the

- . Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function
- MADE IN 6-Position Extension Tube
 - > Precision Machined from 6061/T6 Aircraft Grade Aluminum Alloy
 - ➤ Matte Black Type III Hard Coat Anodize or FDE Cerakote

STOCK ASSEMBLY INCLUDES:



FDE 6-Position **Extension Tube** Commercial (TLU006D) Mil-spec (TLU001D)













BLACK

Commercial-spec

Stock Assembly



MODEL 4 & 308 STOCK ASSEMBLIES

INCLUDES EVERYTHING YOU NEED

MODEL 4 LE COMMERCIAL-SPEC 4-POSITION STOCK ASSEMBLY



MADE IN Commercial-spec 4-Position Extension Tube

- > Precision Machined from 6061/T6 Aircraft Grade Aluminum Alloy > Matte Black Type III Hard Coat Anodize
- · Molded from Impact Resistant High Strength Polymer
- · Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function

NEW GEN MODEL 4 STANDARD A2 FIXED BUTT STOCK ASSEMBLY

FLAT DARK EARTH



· Molded from Impact Resistant High Strength Polymer Storage Compartment for

Cleaning Kit, Small Parts, and Other Accessories



RB-T308FB BBLACK

· Molded from Impact Resistant High Strength Polymer

· Storage Compartment for Cleaning Kit, Small Parts, and Other Accessories





INCLUDES **EVERYTHING** YOU NEED RECOIL BUFFER (RB-T469B8BFHC)


BUFFER SPRING

RECOIL BUFFER

(RB-T469BFHC)



RIFLE LENGTH EXTENSION TUBE







COMMERCIAL-SPEC 4-POSITION **EXTENSION TUBE** (TLU004)


4-POSITIONS



CASTLE NUT

RECOIL BUFFER


(RB-T6BFH2)





(

BUFFER SPRING



MODLE 4 LE TACTICAL COMPACT A2 FIXED STOCK ASSEMBLY





PROUDLY MADE IN USA





Precision Rolled Threads Precisely and Easily Screws into Lower Receivers and Adaptors



Tightest Tolerance Control for Secure Fit and Function with Collapsible Stocks



Matte Black Type III Hard Coat Anodize or FDE Cerakote



COMMERCIAL SPEC 4-POSITION EXTENSION TUBE

B TLU004 BLACK

MATTE BLACK TYPE III HARD COAT ANODIZE

COMMERCIAL SPEC 6-POSITION EXTENSION TUBE

B TLU006 BLACK

PRECISION MACHINED FROM 6061/T6 AIRCRAFT GRADE ALUMINUM

MIL SPEC 6-POSITION EXTENSION TUBE

B TLU001 D TLU001D FLAT DARK EARTH

TIGHTEST TOLERANCE CONTROLS TO PROVIDE THE MOST

SECURE FIT AND FUNCTION WITH COLLAPSIBLE STOCKS

.308 6-POSITION **EXTENSION TUBE**



B TLU002 BLACK

100% PROUDLY MADE IN USA

PRECISION CNC MACHINING

MADE FROM 6061/T6 AIRCRAFT GRADE ALUMINUM

TIGHTEST TOLERANCE CONTROLS













Integral Quick Detachable Lever Lock for Picatinny/Weaver Rails U.S. Patent: 8397421



Ergonomically Contoured Grip


Quick Release Button Instantly Nonslip Rubber Grip Panels Deploys Bipod Legs on Demand



Heavy Duty Full Metal Construction with Hard Coat Anodize

Textured Anti-slip Foot Base







Ergonomic Design for Optimal Comfort

UNIVERSAL AMBIDEXTROUS FOREGRIPS





Ergonomic Finger Grooves and Nonslip Grip Texture



Rounded Ambidextrous Contour



Left and Right Pressure Switch Housings Concealed by Removable Flush Fitting Side Inserts



Installation End Cap with Concealed **Battery Storage Compartment**



Slide On Picatinny **Mounting Deck**



Simply Screw in End Cap to Lock the Locking Nub into a Picatinny Slot to Complete Installation



Concealed Battery Compartment





Heavy Duty Full Metal Locking and Folding Mechanism



Installation End Cap with **Concealed Battery** Storage Compartment



Left and Right Pressure Switch Housings Concealed by Removable Flush Fitting Side Inserts



Nonslip Textured Finger Grooves Built in Storage Compartment and Back Strap



with Removable End Cap



Ergonomic Symmetrical Design Reduces Wrist Fatigue and Improves Handling







Fully Ambidextrous Design for Ergonomic Palm Swells Reduce

Built in Storage Compartment

with Removable End Cap



Left and or Right Hand Shooters Fatigue and Improves Handling



Compatible with **Ambidextrous Safeties**



Heavy Duty Polymer Construction with Rubberized Over Mold



Nonslip Textured Over Mold



Built in Storage Compartment with Removable End Cap



Ergonomic Trigger Finger Swell Aids in Consistent Placement of Trigger Finger When Firing



Ergonomic Trigger Finger Shelf Aids Built in Storage Compartment in Consistent Placement of Trigger **Finger When Firing**



with Removable End Cap



Ergonomic Symmetrical Design Reduces Wrist Fatique and Improves Handling




Nonslip Textured Finger Grooves and Back Strap

MODEL 4 FRONT SIGHTS

LOW PROFILE SIGHTS FOR SAME PLANE APPLICATIONS





MNT-755

- · Aluminum/steel Construction with Matte Black Hard Coat Anodize
- · Standard A2 Front Sight Post with Precise Elevation Adjustment
- · Posi-lock Plunger Coupled with Spring Activated Ball Bearing Guarantees Zero Retention
- Low Profile 3mm Locking Bolt and Mounting Deck Securely Attaches to Any Picatinny Rail
- · Designed to Match MNT-955 Low Profile Flip-up Rear Sight on Same Level Plane Applications
- · Low Profile Locking Bolt [Also Refer to P. 64]



Flip-up Front Sight

MNT-751L

- · Aluminum/steel Construction with Matte Black Hard Coat Anodize
- Quick Detatch Front Sight with Adjustable A2 Square Post Assembly, Fits All Picatinny/weaver
- Equipped with Locking Thumb Nut, Spring Activated Ball Bearing, and Recessed Sight Base
- Standard A2 Front Sight Post with Precise **Elevation Adjustment** [Also Refer to P. 62]



UTG Low Profile Front Sight

MNT-754

- · Aluminum/steel Construction with Matte Black Hard Coat Anodize
- Quick Detatch Front Sight with Adjustable A2 Square Post Assembly, Fits All Picatinny/weaver
- Standard A2 Front Sight Post with Precise Elevation Adjustment [Also Refer to P. 62]

HIGH PROFILE SIGHTS FOR OFFSET GAS BLOCK APPLICATIONS



UTG High profile Front Sight

- · Aluminum/steel Construction with Matte Black Hard Coat Anodize
- · Quick Detatch Front Sight with Adjustable A2 Square Post Assembly. Fits All Picatinny/weaver Rails
- · Standard A2 Front Sight Post with Precise Elevation Adjustment [Also Refer to P. 62]



UTG High Profile Flip-up Front Sight

MNT-751


- · Aluminum/steel Construction with Matte Black Hard Coat Anodize
- · Quick Detatch Front Sight with Adjustable A2 Square Post Assembly, Fits All Picatinny/weaver Rails
- · Standard A2 Front Sight Post with Precise **Elevation Adjustment** [Also Refer to P. 62]

12 GA. SHOTGUN/.22 FRONT SIGHT



MODEL 4 FRONT SIGHT TOOLS

FOR MOSSBERG 12 GA. & VARIANTS





- · Clamp-on Front Sight with Elevation Adjustable Front
- · Fits Mossberg 12 Ga. Shotgun and Variants Equipped with Front Sight Bead
- · Designed to Match MNT-910 Low Profile Rear Sight
- . Complete with 2 in 1 Sight Adjustment Tool [Also Refer to P. 65]



- · Clamp-on Front Sight with Elevation Adjustable Front
- Designed to Match MNT-910 Low Profile Rear Sight
- Complete with 2 in 1 Sight Adjustment Tool [Also Refer to P. 65]

4-PRONG A2 FRONT SIGHT TOOL



SCP-FTA24

- . One Piece Machined Steel with Knurled Surface Texture for Added Gripping Performance
- . For Use on 4-prong A2 Front Sight Posts

DUAL FRONT SIGHT TOOL



SCP-A1245-A

4-PRONG

- One Piece Machined Steel with Knurled Surface Texture for Added Gripping Performance
- · For Use on Both 4 and 5-prong Front Sight posts

MODEL 4/SHOTGUN/.22 REAR SIGHTS





UTG Model 4 Low Profile Flip-up rear Sight MNT-955

- · Aluminum/steel Construction with Matte Black Hard Coat Anodize
- . Super Compact Profile and Exact Height to Work with Standard Front Sight
- Posi-lock Plunger Coupled with Spring Activated Ball Bearing Guarantees Zero Retention
- · Choose Between a Large or Small Size Aperture for Moving Target Engagements, Limited Visibility, or Normal Firing Situations
- · Optimal Height for Co-witnessing with Dot Sights
- . Low Profile 3mm Locking Bolt and Mounting Deck Securely Attaches to Any Picatinny Rail
- . Designed to Match MNT-755 Low Profile Flip-up Front Sight on Same Level Plane Applications [Also Refer to P. 64]





UTG Sub-compact Shotgun/.22 Aperture Adjustable Rear Sight

MNT-910

- Precision Machined Aircraft Grade Aluminum Construction with Matte Black Hard Coat Anodize
- · Designed to Match MNT-722 & 716 Clamp-on Front Sights
- · Optimally Sized Aperture for Accurate Aiming
- . Complete Windage/Elevation Adjustment in an Extremely Sub Compact Design
- · Sub Compact Profile and Super Lightweight
- . One Piece Integral Mounting Base Fits Any Picatinny and Most Weaver Rails [Also Refer to P. 65]



UTG Flip-up Rear Sight

Integral Picatinny Mounting Deck

· Aluminum/steel Construction with Matte Black

· Flip-up Tactical Rear Sight with Windage Adjustment and

· Equipped with Integral Picatinny QD Twist Lock Thumb Nut,

Spring Activated Ball Bearing, and Recessed Sight Base

MNT-951

Hard Coat Anodize













· Mil-spec Compliant Compact A2 Rear Sight with Full Range Windage/elevation Adjustment and Integral Picatinny QD Twist Lock Thumb Nut [Also Refer to P. 63]



MNT-950RS02-B

- · Aluminum/steel Construction with Matte Black Hard Coat Anodize
- · Equipped with a Large or Small Size Aperture for Moving Target Engagements, Limited Visibility, or Normal Firing Situations [Also Refer to P. 63]




UTG PRO Made in USA Model 4 Mil-spec 7075-T6 Forged Carry Handle Sight TLURS001

- Mil-spec Match Grade Carry Handle with A2 Sight Assembly
- Features Forged 7075-T6 Aluminum Alloy Base with Matte Black Type III Hard Coat Anodize Rugged Steel A2 Sight Assembly Provides Precision and Reliable Windage/elevation Adjustment, Complete with Dual Aiming Apertures
- · Optimal Height for Co-witnessing with Standard Front Sight and Similarly Raised Electronic Dot Sights
- . Equipped with Locking Thumb Nut for Easy and Secure Installation [Also Refer to P. 63]



MODEL 4 HEAVY DUTY BLANK FIRING ADAPTOR

MODEL 4 APPLICATION





MODEL 4 CARBINE H2 RECOIL BUFFER RB-T6BFH2

- . Complete with 2 Heavy Tungsten Weights and 1 Steel Weight
- · Reinforced Buffer Body with Hardcoat Anodize
- · Total Weight: 4.6oz




MODEL 4 STANDARD FULL SIZE RECOIL BUFFER RB-T469BFHC

- · Complete with 5 Steel Weights for Smooth Rifle Cycling and Better Reliability
- · Reinforced Buffer Body with Hardcoat Anodize
- · Total Weight: 5.0oz



MODEL 308 STANDARD FULL SIZE RECOIL BUFFER RB-T469B8BFHC

- . Complete with 6 Steel Weights for Smooth Rifle Cycling and Better Reliability
- · Reinforced Buffer Body with Hardcoat Anodize Total Weight: 5.3oz





MODEL 4 ERGONOMIC BUTT PAD FOR 6-POSITION RETRACTABLE STOCK

- · Adds Over a 1" Extension to Model 4 Collasible Stocks
- · Provides Additional Comfort When Shouldered



UTG EXTENDED CHARGING HANDLE LATCH

TL-CHL01

- Increased Surface Area for Faster Manipulation Under Stress
- Heavy Duty Steel Construction with Matte Black Hardcoat Anodize
- · Fits Standard AR15 Charging Handles



MODEL 4 **RECEIVER WEDGE RB-A005**

- · Snugly Fits Behind Rear Take Down Pin
- · Keeps the Upper Snug and Tight Against the Lower
- · Prevents Upper and Lower Receivers from Rattling
- · Improves Accuracy, Reduces Excess Vibrations, and Prevents Excessive Wear



MODEL 15 DUAL MAGAZINE CLAMP

Compatible with 20 and 30 Round Standard GI Magazines







Rifle MNT-16AD1-C

- 3rd Gen Blank Firing Adaptor for Carbine Length and Rifle Length AR15
- · Fits Standard A2 Flash Hider and Barrel
- · Precision Machined High Strength Steel Alloy Construction
- · User Friendly Bolt Ring for Simple Installation and Removal
- · Color Coated for Protection and Discernibility
- · Reinforced Integral Housing and Reliable Mil-spec Quality
- · Ideal for Law Enforcement and Military Training



One Piece Heavy Duty Cast Hex Nut and Frame for Maximum Durability (Surpassing Military Standards)



Precision Machined Reinforced Frame



Thousands of Rounds of Testing to Ensure Mil-standard Performance

MODEL 4 & 308 WRENCHES

UTG MINI AR15 WRENCH TOOL

TL-ARWR02

- Designed for both AR15 Installation and Removal of Barrel Nut, Muzzle Brake, and Extension Tube
- Heavy Duty Steel Alloy Construction with Matte Black Type III Hard Coat Anodize

UTG MODEL AR15/AR 308 ARMORER'S COMBO WRENCH TOOL

TI -ARWR01

- Designed for both AR15 and AR 308 Installation and Removal of Barrel Nut, Muzzle Brake, and Extension Tube
- Heavy Duty Steel Alloy Construction with Matte Black Type III Hard Coat Anodize












1. Flat Head Screw Driver



2. Traditional 3-prong Muzzle Wrench



3. Castle Nut Wrench



4. AR10 Muzzle Brake Wrench



5. A2 Stock Extension Tube



6. AR15 Muzzle Brake



7. YHM® and Compatible Barrel Nut Wrench



8. UTG PRO Super Slim Barrel Nut Wrench



9. 1/2" and 1/4" Socket Adaptors



10. Delta Ring Barrel Nut Wrench





· Also Includes One Low Profile Rubber Rail Guard



LOW PROFILE PICATINNY RUBBER RAIL GUARD

· Low Profile with Curved Contour Hugs Picatinny Rail and Provides a More Comfortable Gripping Surface

· Ergonomic Contour Improves Firearm Handling and Speeds Up Transitions,

- · Easily Snaps onto Picatinny Rails Without Shifting due to Integral Stop Bar
- · Non-slip Textured Surface for a Positive Support Hand Grip
- · Protects the User from Sharp Rail Edges While Preventing Damages to the Rail Itself
- . 12 Pieces to a Pack



KEYMOD COMPATIBLE ALUMINUM HAND STOP

TL-HS02B

- . Compatible with UTG PRO Super Slim AR15/ AK Keymod Compatible Handguards
- · Promotes Proper Support Hand Memory Placement and Retention
- · Ergonomic Contour Improves Firearm Handling and Speeds Up Transitions
- Can be Used to Stop Support Hand from Potentially Muzzling the Front of the Barrel on Short Barrel Rifles and Shotguns





DUAL HEAT SHIELDS

MODEL 4 DESERT TAN POLYMER HANDGUARD

RB-TM4HGT

- · Quality Replacement Handguard for M4 Carbine
- · Rounded Shape with Dual Aluminum Heat Shields
- · Lightweight and Extremely Tough for Use Under All Weather and Environmental Conditions

No Permanent Modifications Required




🛊 User Friendly Installation

* 6 Position Collapsible Stock

AK APPLICATION









GEN I MODEL 4 STOCK ADAPTOR FOR AK STAMPED RECEIVER

- Allows Installation and Use of Model 4 Fixed and Collapsible Stocks and Extension Tubes
- · Snag-free Design and Optimized for a Naturally Comfortable Sight Alignment When Shouldered



AK SIDE FOLDING STOCK ADAPTOR

- Requires UTG AK Stock (RBU47KT01) Adaptor for Conversion and Compatible with Most 4-position/6-position Model 4 Stocks and
- Heavy Duty Aluminum Construction with Matte Black Type III Hard Coat Anodize
- User Friendly Installation
- Increased Mobility and Versatility



SIDE PLATE

TL-M47SR

- · Precision Machined Dovetail for Installing Side Optic Mounts
- · Reinforced Surface Treatment for Greater Wear and Corrosion
- Fits Both Milled and Stamped Receivers, Accepts a Wide Variety of Side Optic Mounts
- Permanent Modification Required, Installation by Gunsmith Recommended



AK DUAL MAGAZINE CLAMP

TI -MGK702

Fits Classic 7.62X39mm Magazines, Matte Black Finish



AK COMBAT STYLE BUTT PAD

RR-K7RTP01

- · Ergonomic Slip-on Design with Reinforced Outer Lip
- . 1" Extension, Reduces Felt Recoil, Available in Black Only



ERGONOMIC AK PISTOL GRIP

- · Heavy Duty Polymer Construction with Rubberized Over Mold
- · Built-in Storage Compartment with Removable End Cap
- · Non-slip Textured Over Mold
- · Ergonomic Trigger Finger Swell Aids in Consistent Placement of Trigger Finger When Firing



AK SPEED LOADER

Speed Loads Using 7.62x39mm Stripper Clips



AK FRONT SIGHT TOOL

SCP-WEA05

- An Essential Tool for Making Fine Front Sight Post Windage and Elevation
- · Compatible with AK, SKS, MAK, and SLR95 Pattern Rifles

SKS & OTHER ACCESSORIES



DELUXE COMBAT STYLE 2" SKS BUTT PAD

RB-SKBTP02A

- · Ergonomic Slip-on Design with Reinforced Outer Lip
- · 2" Extension, Reduces Felt Recoil, Available in Black Only

CHAMBER SAFETY FLAG

RB-CSF01

- · Bright Orange for High Visibility and Reliable Confirmation of an Unloaded Firearm
- · Molded from Impact Resistant Polymer with Reinforced Head for Maximum Durability





DELUXE COMBAT STYLE 1" SKS BUTT PAD

RB-SKBTP01A

- · Ergonomic Slip-on Design with Reinforced Outer Lip
- . 1" Extension, Reduces Felt Recoil, Available in Black Only

AIRGUN TARGET



TL-TG001

- · Removable Rear Metal Wall
- · Multi-layer Pellet Resistant Curtains
- · 2 Sets of Paper Targets Included
- · Reinforced Impact Resistant Polymer Frame
- · Recommended Shooting Distance: 30-60 feet
- · Tough and User Friendly Design
- 8"x9.75"X9.75"

Pellet Resistant Curtains (TL-GT001F)



· Easy Installation

- · Deflects Ejecting Spent Cartridges in a Safe Direction and Away from Optics that May be Mounted onto the Receiver
- Made from Spring Steel with Matte Black Type III Hard Coat Anodize
- Installation Screw Holes Compatible with UTG SKS Tri-rail Mount, Hi Profile Mount and Other Similar SKS Mounts

CALIFORNIA DOJ APPROVED FIREARM CABLE LOCK










Bolt Action Rifles

BROKEN SHELL EXTRACTORS | OTHER ACCESSORIES



2. Draw back the bolt to eject the broken casing along with the broken shell extractor.

.308 BROKEN SHELL EXTRACTOR



.30-06 BROKEN SHELL EXTRACTOR



.223 SHELL EXTRACTOR



7.62X39 BROKEN SHELL EXTRACTOR



10/22 STEEL EXTENDED MAGAZINE RELEASE

TL-MGRL22A

- · Steel Construction with Matte Black Type III Hard Coat Anodize
- · Increases the Speed and Ease of Releasing Magazines with Confidence
- · User Friendly Installation



UNIVERSAL SHOTGUN FOREND WRENCH

TL-SHWR01

- · Nickel Plated Steel Alloy Construction
- · User Friendly with Ergonomic Comfortable Handles for Easy Forend Removal and Installation
- Compatible with Remington 870, Mossberg 500A/C, 835 and Other Variants



BIPOD SWIVEL STUD KIT

TL-BPAD1

- · Converts Swivel Stud into 1-slot Picatinny Rail for Bipod Installation
- · Provides Alternative Swivel Stud for Sling Swivel Attachment



QUICK DETACH SLING SWIVELS | SLING SWIVEL ADAPTORS

STANDARD PUSH BUTTON OD SLING SWIVELS

- Made from High Strength Steel with Matte Black Type III Hard Coat Anodize
- · Precisely Machined for Proper Fit and Reliable Function







1/3" HEAVY DUTY PUSH BUTTON QD SLING SWIVELS

- · Made from High Strength Steel with Matte Black Type III Hard Coat Anodize
- · Precisely Machined for Proper Fit and Reliable Function



Compatible with the Following UTG and UTG PRO Products • MTU001 • MTU015 • MNT-BR005 • MNT-BR005XL

- MTU003
 MTU018
 MNT-BR101TR-A
 MNT-BR003XL
- MTU007 MTU001T MNT-BR002



PICATINNY MOUNT OD SWIVEL 1 1/4" LOOP

- · Precision Machined Aluminum/steel Construction with Matte Black Type III Hard Coat Anodize
- · Solid Steel 1.25" Sling Loop Compatible with Most Slings on the Market
- . Tool Free Locking Thumb Nut




MODEL 4 RECEIVER EXTENSION TUBE AMBIDEXTROUS SLING ADAPTOR MOUNT

- · User Friendly Installation, Wraps Around Extension Tube without the Need to Disassemble or Modify Your Firearm
- . Constructed of Hardened and Casted Steel with Matte Black Type III Hard Coat Anodize
- · Compatible with Both Mil-spec and Commercial-spec Extension Tubes
- · Provides Ambidextrous Sling Use







Item Number	A Loop Width	B Loop Thickness	C Push Button Diameter	D Stud Diameter	E Stud Height
TL-QDSW08A	1.09"	0.13"	0.47"	0.37"	0.35"
TL-QDSW08B	1.25"	0.13"	0.47"	0.37"	0.35"
TL-QDSW08C	1.29"	0.13"	0.47"	0.37"	0.35"
TL-QDSW18	1.38"	0.17"	0.60"	0.37"	0.37"
TL-QDSW28	1.38"	0.17"	0.17"	0.37"	0.47"
TL-SWMTP01	1.25"	0.17"	N/A	N/A	N/A
TL-SWR01	1.25"	0.13"	N/A	N/A	N/A
TL-SWR02	1.09"	0.13"	0.47"	0.37"	0,35"

QUICK DETACHABLE M-LOK**AND KEYMOD COMPATIBLE SLING SWIVEL ADAPTORS AND PLATES



QD SLING SWIVEL ADAPTOR

TLUSW001

- · Precision Machined from Aircraft Grade Aluminum with Matte Black Type III Hard Coat Anodize
- Lightweight, Low Profile Design Uses the Least Amount of Space M-LOK™ Requires While Retaining Optimum Mounting Performance
- · Adaptor Bi-directionally Mounts and Efficiently Utilizes Rail Real Estate by Mounting Either In One Slot or in Between Adjacent Slots on the Same Track
- · Accepts Any Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- · QD Swivel Housing Designed with Quarter-turn Rotational Over Travel Stops to Restrict Swivel Movement and Prevent Sling from Getting Tangled
- Includes M-LOK™ T-Nuts, Screws, and Allen Wrench for Simple and User Friendly Installation, No Gunsmith Required



UTG PRO MADE IN ESSENTIBLE *QD SLING SWIVEL ADAPTOR*

TLUSW002

- · Precision Machined from Aircraft Grade Aluminum with Matte Black Type III Hard
- · lightweight and Low Profile Design Keeps Added Bulk to a Minimum and Without Creating an Additional Snag Point
- · Accepts Any Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- · QD Swivel Housing Designed with Quarter-turn Rotational Over Travel Stops to Restrict Swivel Movement and Prevent Sling from Getting Tangled
- · Includes Keymod Nuts, Screws, and Allen Wrench for Simple and User Friendly Installation, No Gunsmith Required



LOW PROFILE ANGLED OD SLING SWIVEL PICATINNY ADAPTOR

TL-SWPM01

- Low Profile and Lightweight Design with 45 Degree Offset Optimizing installation at the 12 O'clock Handguard Position
- · Accepts Standard Quick Detach Push Button Sling Swivel with 0.37" Diameter
- Precision Machined from Aircraft Grade Aluminum with Matte Black Type III Hard Coat Anodize
- · Simple and User Friendly Installation, No Gunsmith Required



TL-T6TD02

- Steel Construction with Matte Black Type III Hard Coat Anodize
- Left and Right Sling Loops Accommodate Both Strap and Hook Type Sling Applications
- Compatible with Both Mil-spec and Commercial-spec Extension Tubes
- · Compatible with Most Sling Hooks on the Market



KEYMOD COMPATIBLE OD SLING SWIVEL ADAPTOR

TL-SWKM01

- · lightweight and Low Profile Design Keeps Added Bulk to a Minimum and Without Creating an Additional Snag Point
- · Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Push Button
- · Precision Machined from Aircraft Grade Aluminum with Matte Black Type III Hard Coat Anodize



PICATINNY/KEYMOD COMPATIBLE OD SLING SWIVEL ADAPTOR

TL-SWPK01

- Innovative, Compact, and Lightweight Design Adaptable for Installation on Both Picatinny or Keymod Compatible Rails
- Accepts Standard Quick Detach Push Button Sling Swivel
- Precision Machined from Aircraft Grade Aluminum with Matte Black Type III Hard Coat Anodize
- · Complete with Made in USA Installation Screws, Stainless Steel Keymod Nuts, and Allen Wrench



- 1. Nylon Pouch
- 2. Cleaning Cable
- 3. Chamber Brush
- 4. Patch Loop
- 5. Cleaning Patches
- 6. T-handle and 3 Rod extensions

This kit contains all the tools you need to clean your .223/5.56mm rifles, including

such platforms as the AR15, Mini 14, Steyr Aug, Kel-Tec SU-16, Beretta AR70, Saiga, M96 and others. It includes a cleaning cable, chamber brush, patch loop, cleaning patches, t-handle, and 3 rod extensions. All of the parts conveniently store within the included carrying case.



- 1. Oil Bottle
- 2. Bore and Chamber Brush
- 3. Nylon Pouch with 2 Pockets
- 4. Belt Loop/Alice Clip Attachment
- 5. Dual-ended Nylon Brush
- 6. Adaptor and Patch Loop
- 7. T-handle and 3 Rod Extensions
- 8. Cleaning Patches

- 1. Cleaning Rod
- 2. Patch Loop
- 3. Bronze Bore Brush

9MM PISTOL CLEANING KIT

TL-CLP9MMKT

- 4. Nylon Bore Brush
- 5. Cotton Mop Brush

This kit contains all the tools you need to clean your .223/5.56mm rifles, including such platforms as the AR15, Mini 14, Steyr Aug, Kel-Tec SU-16, Beretta AR70, Saiga, M96 and others. It includes a 5-extension steel cleaning rod with adaptor, patch loop, bronze bore brush, chamber brush, double-ended nylon Utility brush, 1/2 oz oil bottle, and cleaning patches. All parts conveniently store within the included OD green nylon pouch with belt loop and alice clip attachment point, equipped with two hook and loop closure pockets and external snap button flap.

A compact and practical cleaning kit for .38/.357 and 9mm handguns. Conveniently stows away in any range bag in its own organized polymer case (4 5/8" X 2 7/8" X 1 1/2"). The kit includes an 8-32 threaded copper alloy cleaning rod with the following threaded cleaning accessories: patch loop, bronze and nylon brush, and a cotton mop. The cleaning rod is interchangeable with all other accessories on the market with 8-32 threads.

1-PACK .223/5.56MM **CHAMBER BRUSH**

TL-CLCB223

.22/5.56mm Chamber Brush with Bronze and Stainless Bristles, Thread 8-32



3-PACK .22 CAL. **BORE BRUSHES**

TL-CLBR223

3-pack .22/5.56mm Bore Brushes (Bronze, Cotton, and Nylon), Thread 8-32



3-PACK .30 CAL. **BORE BRUSHES**

TL-CLBR308

3-pack .30/31 Cal. Bore Brushes (Bronze, Cotton, and Nylon), Thread 8-32



3-PACK 9MM **BORE BRUSHES**

TL-CLBR9MM

3-pack 9mm/.38/.357 Bore Brushes (Bronze, Cotton, and Nylon),



3-PACK .45 ACP **BORE BRUSHES**

TL-CLBR45

3-pack .44/.45 Cal. Bore Brushes (Bronze, Cotton, and Nylon),



3-PACK 20 GA. **BORE BRUSHES**

TL-CLBRGA20

3-pack 20 Ga. Bore Brushes (Bronze, Cotton, and Tornado), Thread 5/16-27



3-PACK 12 GA. **BORE BRUSHES**

TL-CLBRGA12

3-pack 12 Ga. Bore Brushes (Bronze, Cotton, and Tornado), Thread 5/16-27

